STYLE • SELECTION • CRAFTSMANSHIP





HOLMES GARAGE DOOR COMPANY



Holmes Garage Door Company[®] offers a complete line of top quality doors including traditional raised panel doors, carriage house style doors, contemporary styles and commercial. With thousands of garage door designs to choose from, Holmes is Making it Easy to find and purchase the right door for your style!

www.holmesgaragedoor.com



RETURN ON INVESTMENT

Most home upgrades, including a new garage door, increase a home's value at least a little. But a garage door replacement tops the list of home improvements with the best return on investment at resale. According to Remodeling's National Cost vs. Value Report for 2023, replacing a garage door gives a consumer a 102.7% ROI (Return on Investment).

WHY IS THE ROI ON A GARAGE DOOR SO HIGH?

A new garage door will increase the value of your home along with other benefits. Here are three key ways a new garage door increases the value of your home.


CURB APPEAL – A very old garage door can make a house look worn out or out of date with the rest of the neighborhood. New garage doors add visual appeal to the outside of the property.


SECURITY – Older garage doors can become safety and security problems as they age because they don't have all the advancements of a more modern garage door system.




EFFICIENCY – New garage doors tend to be energy efficient, especially if they're insulated. Some come with windows to cut down on the need to turn on artificial lights when you're in the garage. Over time, that's less money spent on utilities and a more environmentally-friendly home.

TABLE OF CONTENTS







Standard Steel Silver & Bronze

pg. 38



pgs. 40–41

Residential Glass pgs. 42–43



Sectional Doors pgs. 44–45

Commercial **Roll-Up Doors** pg. 47

OTHER INFORMATION TO KNOW

Safety, Quality & Innovation pg. 6	i
How-To-Measure Information	1



Glenmoor™ Carriage House 4-Layer in Medium Finish

insulation technology

WARMER. QUIETER. STRONGER.

Garage doors featuring Intellicore® insulation technology represent the ultimate smart choice for homeowners. Intellicore® insulation by Holmes Garage Door Company® is a proprietary polyurethane foam that is injected into a garage door, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door while its industry-leading R-values (up to 20.4) provide year-round comfort and improved energy efficiency.



Look for the Intellicore® insulation icon throughout this brochure on select door models.



WARMER

Energy efficiency provides year-round comfort

QUIETER

Dense insulation reduces noise by up to 16 decibels

STRONGER

Enhanced strength resists everyday wear and tear

UPGRADE, PROTECT AND EXTEND THE LIFE OF YOUR GARAGE DOOR

HEAVY HARDWARE UPGRADE

- Nylon ball bearing rollers for quiet, long-lasting operation
- Heavy-duty 14 gauge hinges for smooth worry-free operation



SAFETY, QUALITY & INNOVATION



Deep Embossed Panels

Natural woodgrain texture and detailed raised panel design enhance door's beauty.



Ultra-Grain® Finish

Ultra-Grain® finish delivers the best of both worlds — the realism of natural wood with the low maintenance and energy-efficient benefits of insulated steel.



Coped Edges

Custom crafted steel doors are designed with stylish beveled, coped edges and decorative center grooves.



Decorative Windows

Inspired by current architectural trends, our windows add a new look to garage doors while complementing your home.



Unsurpassed rust-prevention system creates a virtually maintenance-free surface.



EZ-SET[®] Torsion Springs

Patented springs for easier, faster and safer installation. Eliminates the labor intensive and dangerous manual winding process.



3 EASY STEPS TO CHOOSING YOUR NEW DOOR

CHOOSE YOUR DOOR STYLE

SPECIALTY

OR STANDARD STEEL

See page 4 for examples of each door style.

2 CHOOSE YOUR CONSTRUCTION

	2" Polyurethane	1-3/8" Polyurethane	2" Bonded Polystyrene	1-3/8" Bonded Polystyrene	1-5/16" Polystyrene	Steel				
FEATURES										
intellic@re [.]										
Insulation Rating (R-value)/ Energy Efficiency	18.4*	12.9	9.0	6.5	6.3	N/A				
Security				₫	₽	⊒				
Noise Control	-	-	-	()	()	N				
Dent Resistance										
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime 25-year	Limited Lifetime 15-year				

*Glenmoor™ R-values range from 6.3 to 20.4. See pages 15, 17, 19, 21, 23 and 25 for more information.

NOTE: Higher R-values mean increased energy efficiency, reduced noise, improved security and durability. Calculated door section R-value is in accordance with DASMA TDS-163.


6 CUSTOMIZE YOUR DOOR




CONTEMPORARY ALUMINUM

CONTEMPORARY ALUMINUM garage doors combine aluminum and glass to create a sleek, modern look. Many glass and panel combinations are available for varying degrees of privacy.










Contemporary Aluminum Model AX with **Black Anodized Frame and Insulated Frosted Glass**

- Durable, low-maintenance 2-1/8" commercial grade aluminum frame with many glazing options.
- Intellicore[®] polyurethane insulated rails and stiles (Model AXU).
- R-value 3.8/U-factor 0.86 (Model AXU when glazed with clear insulated glass).
- · Tempered full-view glass, acrylic or solid aluminum panel options. Insulated glass garage door panels are available for increased energy efficiency.
- · Frame and solid aluminum panels available in choice of anodized and powder coated finishes.
- Choose from our selection of aluminum garage door panel colors: White, Bronze, Chocolate, Clear Anodized, Bronze Anodized, Black Anodized and Dark Bronze Anodized.
- · Color-matched aluminum grip handle.
- · WindCode® product available.


WARRANTIES



MODELS



FRAME/SOLID PANEL COLOR OPTIONS



(Anodized)

*Colors available at an additional cost. Due to the anodizing process, slight color variation may occur.

The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Powder coated custom colors available upon request; contact customer service for pricing.

(Anodized)

Handles

GLASS/PANEL OPTIONS



*Available in single pane or insulated glass.

[†] 5/16" clear laminate impact rated glass is available only on AXW8/AXUW8.

White laminated, black laminated and mirrored glass not available insulated. Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with

aluminum panels. Custom glass and colors available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

CONTEMPORARY ALUMINUM SLEEK

CONTEMPORARY ALUMINUM SLEEK garage doors are the perfect choice to modernize any home. Not only can they transform garages, they can also be used as an indoor loft partition or as versatile solarium doors.

DURABLE CONSTRUCTION





Contemporary Aluminum Sleek Model AZ5U with Black Anodized Frame and Frosted Acrylic




Contemporary Aluminum Sleek Model AZ5 with Black Anodized Frame and Gray Acrylic

- Durable, low-maintenance 2-1/8" commercial grade aluminum frame with many glazing options.
- Intellicore[®] polyurethane insulated rails and stiles (Models AZ5U and AZ6U).
- Tempered full-view glass, acrylic or solid aluminum panel options. Insulated glass garage door panels are available for increased energy efficiency.
- Frame and solid aluminum panels available in choice of anodized and powder coated finishes.
- Choose from our selection of aluminum garage door panel colors: White, Bronze, Chocolate, Clear Anodized, Bronze Anodized, Black Anodized and Dark Bronze Anodized.
- · Color-matched aluminum grip handle.
- WindCode[®] product available.


WARRANTIES



MODELS



FRAME/SOLID PANEL COLOR OPTIONS



(Anodized)

*Colors available at an additional cost. Due to the anodizing process, slight color variation may occur.

The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Powder coated custom colors available upon request; contact customer service for pricing.

GLASS/PANEL OPTIONS

White Acrylic







(Anodized)



Handles

(Color-matched to frame)

MODELS AZ6, AZ6U



Grav Tinted Glass* Bronze Tinted Glass*



Clear Glass*

Glass

Clear Anodized (Color-matched to frame) **Clear** Laminate Glass



Black Laminate Bronze Laminate Glass

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.





Mirrored Glass*

Gray Laminate Glass

*Glass is tempered. Glass available in single pane or insulated Laminated and mirrored glass not available insulated.

Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

CONTEMPORARY STEEL

CONTEMPORARY STEEL garage doors complement contemporary and mid-century modern home styles.



THREE-LAYER CONSTRUCTION

Polyurethane or Bonded Polystyrene Insulation



DOOR STYLES



MODERN SERIES - Models 7208, 7138, 6208 and 6138

Modern Groo	oved Panel			


DESIGNER SERIES - Models 7205 and 6205

MODERN SERIES - Models 7209. 7139 and 6209

WARRANTIES



WINDOWS





Additional window designs available.

See page 40 for Designer Insert Series window options.

See page 41 for Architectural and Contemporary Slim Series window options.

CONTEMPORARY WINDOW OPTIONS



Available only on Modern Series models.

Contemporary window configurations are available in many design options, including windows in each section and down one side, short, long and slim windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section. Door models offering these configurations utilize 24" and 21" section heights.

NOTE: Contemporary window configurations are described from inside the garage looking out.

CONSTRUCTION AND FINISH

- Four 3-layer construction types to choose from:
 - 7202, 7201, 7208, 7205 and 7209 have 2" thick Intellicore[®] polyurethane insulation (18.4 R-value)
 - 7132, 7131, 7138 and 7139 have 1-3/8" thick Intellicore® polyurethane insulation (12.9 R-value)
 - 6202, 6201, 6208, 6205 and 6209 have 2" thick bonded polystyrene insulation (9.0 R-value)
 - 6132, 6131 and 6138 have 1-3/8" thick bonded polystyrene insulation (6.5 R-value)
- Many window options available.
- Ultra-Grain[®] and Lustra[™] finishes available on select three-layer models.



*Not available on all models; contact customer service for availability. Due to the printing process, colors may vary.

ULTRA-GRAIN® PLANK



Kona Finish

Not available on all models; contact customer service for availability. Due to the printing process, colors may vary.

Available in Kona or Coastal Gray finishes that complement mid-century, farmhouse, coastal cottage and transitional home styles. Exterior steel surface has a wood-look plank design that runs horizontal, with clear and simple lines. Optional windows available in color matched frames or as a standout in

Silver and Black accent colors.

GLENMOOR[™] CARRIAGE HOUSE 5-LAYER CONSTRUCTION

The natural beauty of wood with the durability and energy-efficient benefits of composite and steel.



FIVE-LAYER CONSTRUCTION

Steel Insulation Steel Cladding Overlay

Glenmoor[™] Carriage House 5-Layer Design 12 with SQ23 Windows

- Five-layer construction with Intellicore® polyurethane insulated, composite faux wood doors (20.4 R-value). Swing-out appearance — modern operation.
- Available in 15 door designs and 13 window or top sections for multiple door design options.
- Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 43 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; doors can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES





COLORS


Finish*

Finish*




color will vary slightly within a door due to finishing process. Due to the printing process, colors may vary. (No Finish)

DOOR DESIGNS



Doors shown in Dark Finish with Clear Cypress composite cladding and Clear Cypress composite overlay. Design 01 does not have an overlay.



MATERIAL DESIGN OPTIONS



WINDOWS/TOP SECTION OPTIONS

GLENMOOR[™] CARRIAGE HOUSE 4-LAYER CONSTRUCTION

Insulated carriage house garage doors with faux wood-look overlays on a steel base.

FOUR-LAYER CONSTRUCTION




Glenmoor[™] Carriage House 4-Layer Design 12 with SQ23 Windows

I

- Four-layer construction with Intellicore[®] polyurethane insulated, faux wood doors (18.4 R-value). Swing-out appearance — modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Base steel options include Ultra-Grain[®] finish in Clear Cypress or solid color steel. Composite overlay available in Clear Cypress or Mahogany.
- · Insulated glass options include clear, frosted, seeded, rain and obscure. See page 43 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.


DOOR DESIGNS




WARRANTIES



DECORATIVE HARDWARE



WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTIONS

STEEL BASE -**OVERLAY**

Ultra-Grain[®] Finish Clear

Clear Cypress

Mahogany

Cypress or Solid Color Steel Note: Cladding is not present on Carriage House 4-Layer doors.

COLORS

Ultra-Grain®	Ultra-Grain®	Ultra-Grain®	Bronze
Cypress	Cypress	Cypress	Finish*



Walnut Medium Finish Finish



Bronze, Charcoal, Black and White Finish available only on Mahogany overlays. Steel surfaces have woodgrain texture. Doors can be ordered primed for those homeowners wishing to custom paint their doors.

Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

White Finish*


Primed (No Finish)

17

GLENMOOR[™] ELEMENTS


Moisture-resistant composite overlays featuring clean, square "Shaker" edges and durable, insulated steel to give you the look of painted wood without the upkeep.

FOUR-LAYER CONSTRUCTION



- Four-layer, steel and composite overlay doors with 1-3/8" bonded polystyrene insulation (6.5 R-value).
- Multiple door designs and window options available.
- Base steel and composite overlay available in Woodgrain Classic surface texture.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 43 for specialty glass options.
- Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.


DOOR DESIGNS




WARRANTIES



DECORATIVE HARDWARE



WINDOWS/TOP SECTION OPTIONS



MATERIAL DETAIL



Woodgrain Classic surface texture on base steel and composite overlay.

COLORS



GLENMOOR[™] CHEVRON

Charming and elegant, the exceptional style of Glenmoor™ Chevron garage doors makes an exquisite addition to any homeowner's exterior. With its unique cladding design options, it will give your home that extra charm it was longing for.

FIVE-LAYER CONSTRUCTION



Steel Insulation Steel Cladding Overlay






- Five-layer construction with Intellicore[®] polyurethane insulated, composite faux wood doors (20.4 R-value). Swing-out appearance — modern operation.
- Available in 8 door designs and 13 window or top sections for multiple door design options.
- Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 43 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- · Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; doors can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES






COLORS

Black

Finish⁴



process. Due to the printing process, colors may vary.


White Primed Finish* (No Finish)

DOOR DESIGNS




Doors shown in Bronze Finish with Mahogany composite cladding and Mahogany composite overlay.

CLADDING DESIGN OPTIONS



Option U

WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTIONS



GLENMOOR[™] LOUVER

Insulated garage doors with composite louver overlays adding charm with plantation shutter style.

FIVE-LAYER CONSTRUCTION




Insulation

- Five-layer construction with Intellicore[®] polyurethane insulated, composite faux wood doors. R-values range from 18.4 to 20.4. Swing-out appearance — modern operation.
- Available in 12 door designs and 6 window or top sections for multiple door design options.
- Cladding/base steel options include Louver Mahogany, Ultra-Grain® finish in Clear Cypress or solid color steel. Composite overlay available in Clear Cypress or Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 43 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- · Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; door can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES




DECORATIVE HARDWARE




Additional hardware options are available; see pages 34-35.

DOOR DESIGNS



Design 47

WINDOWS/TOP SECTION OPTIONS



Window grilles are Mahogany texture. Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2",

MATERIAL DESIGN OPTIONS

CLADDING/STEEL BASE -



Clear Cypress


OVED





Louver





Mahogany

Solid Color Steel Note: Cladding and overlay material options may be mixed and matched.

COLORS



* Dark Finish not available as a base steel color on Designs 41, 42, 43, 44, 45, 46 and 47. [†] Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays.

Steel surfaces have woodgrain texture. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

GLENMOOR[™] MODERN

A perfect complement to the natural materials and textures on your home's exterior.

FOUR-LAYER CONSTRUCTION






Glenmoor[™] Modern Metal (Aluminum) Inlay Design in Medium Finish with Mahogany Cladding

- Three 4-layer designs to choose from:
 - Plank design steel faux wood doors with Intellicore[®] polyurethane insulation (20.4 R-value)
 - Steel faux wood doors combined with a Metal Inlay design and Intellicore[®] polyurethane insulation (18.4 R-value)
 - Full-View design steel faux wood doors with Intellicore[®] polyurethane insulation (6.3 R-value)
- Cladding and overlay options include Mahogany and Clear Cypress.
- Many glass options available including clear, frosted, rain and obscure as well as insulated.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; door can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES




DECORATIVE HARDWARE



Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Custom colors available. Clear Aluminum complements the color of the Metal Inlay doors. Other colors are designed to complement design aspects of the home.

DOOR DESIGNS



Inlay Design

WINDOWS OPTIONS


Available only on Plank door designs.

14" × 6"

35" × 6'

Both window sizes are available on single car and double car doors.

.



Windows down right side

Windows in all panel locations

NOTE: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid windows ordered in incorrect location.

MATERIAL DESIGN OPTIONS



COLORS

Walnut Finish	Dark Finish	Medium Finish	Slate Finish	Bronze Finish*
				*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays.
Charcoal Finish*	Black Finish*	White Finish*	Primed (No Finish)	Due to the printing process, colors may vary.

(No Finish) process, colors Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process.

SETTLERS[®]

C RHORELEGELLS

SETTLERS[®] doors provide a traditional carriage house appearance with upward-acting functionality and durable construction.

FOUR-LAYER CONSTRUCTION

Steel

Steel -

Overlay

Polyurethane or Bonded Polystyrene Insulation

Insulation

intelli core

Steel

Steel -

Overlay -

Insulation

816949


Settlers® SF13 with REC13 Windows

- Base door has a natural woodgrain texture, painted with a baked-on primer and polyester top coat.
- · Detailed beveled, coped-edge overlay.
- Windows with complete overlay and true arch designs are available in double strength, frosted, seeded, obscure, rain and insulated glass.
 Grilles are removable for ease of cleaning.
- Includes automatic opener reinforcement.
- + EZ-Set $\ensuremath{^{\scriptscriptstyle (\! 8)}}$ torsion springs standard on most sizes.
- SXU models have 2" Intellicore[®] polyurethane insulation (18.4 R-value).
- SX models have 2" bonded polystyrene insulation (9.0 R-value).
- SF models have 1-3/8" bonded polystyrene insulation (6.5 R-value).
- For doors being painted black and very dark colors (having an LRV of 12 or less) contact Holmes for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. For more information call our Consumer Services Hotline at 1-800-557-0488.

WARRANTIES




DECORATIVE HARDWARE



Additional hardware options are available; see pages 34-35.

DOOR DESIGNS



available with windows. Double door designs available.

BASE DOOR/OVERLAY COLOR OPTIONS



Note: Door and overlay colors can be mixed and matched. Due to the printing process, colors may vary.

SO24

ARTISTRY[®] STEEL

ARTISTRY® STEEL doors create an authentic carriage house look at an affordable price.

THREE, TWO & ONE-LAYER CONSTRUCTION



Polyurethane or Polystyrene Insulation

Juga.

1

- Grooved-panel steel carriage house designs available in short and long-panel options.
- Available in 3, 2 or 1-layer construction options.
- Insulation options include 2" or 1-3/8" Intellicore[®] polyurethane, 2" or 1-3/8" bonded polystyrene or 1-5/16" vinyl backed polystyrene.
- Insulated door R-values range from 6.3 to 18.4.
- 16 factory finish paint colors available, including Almond, Black, Ultra-Grain[®] Oak Walnut Finish and more.
- Multiple glass options available including acrylic, insulated, frosted, seeded, rain and obscure options.
- The steel skins are protected by the use of a tough, layered coating system, which includes a hot-dipped galvanized layer and baked-on primer and top coat.
- Window grilles for easy cleaning.
- WindCode[®] reinforcement product available for high wind load applications.
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore[®] insulation models.

WARRANTIES


AR1SP/AR1LP

AR4SV/AR4LV

AR4S/AR4L



DECORATIVE HARDWARE



Escutcheon

Plates

Additional hardware options are available; see pages 34-35.

DOOR DESIGNS

Single door width shown




AR2SU, ARISU, AR2SP, ARISP Two-Layer AR4SV, AR5SV One-Layer AR4S, AR5S



Three-Layer AR2LU, AR1LU, AR2LP, AR1LP Two-Layer AR4LV, AR5LV One-Layer

AR4L, AR5L

WINDOWS/TOP SECTION OPTIONS



Double door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

COLOR OPTIONS



WESTPORT[™] STEEL

WESTPORT[™] **STEEL** doors combine the traditional symmetry of wood stile and rail door designs with the proven durability of steel construction.

THREE, TWO & ONE-LAYER CONSTRUCTION



Polyurethane or Polystyrene Insulation

Westport[™] Steel PR2NU in Almond with SQ24 Windows

- · Recessed-panel steel designs available in narrow and extended-panel options.
- · Available in 3, 2 or 1-layer construction options.
- Insulation options include 2" or 1-3/8" Intellicore[®] polyurethane or 1-5/16" vinyl backed polystyrene.
- Insulated door R-values range from 6.3 to 18.4.
- · 16 factory finish paint colors available, including Almond, Black, Ultra-Grain® Oak Walnut Finish and more.
- Multiple glass options available including acrylic, insulated, frosted, seeded, rain and obscure options.
- · The steel skins are protected by the use of a tough, layered coating system, which includes a hot-dipped galvanized layer and baked-on primer and top coat.
- · Window grilles for easy cleaning.
- WindCode[®] reinforcement product available for high wind load applications.
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore® insulation models.

WARRANTIES



PR1NU, PR1EU, PR4NV, PR4EV, PR4N, PR4E

INCLUDED

OPTIONAL

Spade Lift

Handles

ALL MODELS PR5N, PR5E

VFAD





Single door width shown




Narrow Panel Three-Layer PR2NU, PR1NU Two-Laver PR4NV, PR5NV One-Laver PR4N, PR5N



Extended Panel Three-Layer PR2EU, PR1EU Two-Laver PR4EV, PR5EV

One-Laver PR4E, PR5E

WINDOWS/TOP SECTION OPTIONS



Double door designs available

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

COLOR OPTIONS



DECORATIVE HARDWARE

Color-Matched Lift Handles

Spade Step

Plate

Additional hardware options are available; see pages 34-35.

Chocolate*

Lustra^{*}

Silver*

LODGEWOOD® SEMI-CUSTOM

LODGEWOOD[®] SEMI-CUSTOM combines authentic wood designs with the functionality of an upward-acting sectional door.

HANDCRAFTED **TWO-LAYER** CONSTRUCTION



- Handcrafted, two-layer, non-insulated wood doors in authentic carriage house designs. Swing-out appearance — modern operation.
- Available in three wood species. All stain-grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Hemlock (paint grade and grooved) doors have Hemlock stiles and rails with exterior grade Extira® panels.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard with 1/8" DSB glass. Specialty glass options available.
- All doors can be factory primed or finish painted White. Factory stain available for stain-grade wood species (additional cost).

SCION SCION INCLUDED Spade Lift Spade Lift Spade Step OPTIONAL

- Decorative Handles with Keyholes
- Ring Door Knocker
- Additional hardware options are available; see pages 34–35.


OPTIONAL FACTORY STAINING*




Not all wood types stain equally and all stain colors will vary in appearance on all wood types. Variations in color will occur from printed material to actual doors, or even from door to door. *Additional cost.

Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors. Doors must be painted or stained on all six sides prior to installation. Failure to follow the installation and maintenance instructions will void the warranty. Please refer to the installation and maintenance manual for additional information about caring for a wood door.


DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



MATERIAL OPTIONS





Paint grade and grooved doors cannot be stained.

HOLMES GARAGE DOOR COMPANY




		Availability									
	Hardware Description Numbers below correspond with images on page 35	CONTEMPORARY ALUMINUM / CONTEMPORARY ALUMINUM SLEEK	GLENMOOR" CARRIAGE HOUSE 5-LAVER / 4-LAVER	GLENMOOR" ELEMENTS	GLENMOOR" CHEVRON	GLENMOOR" LOUVER	GLENMOOR" MODERN	SETTLERS'	ARTISTRY" STEEL	WESTPORT [™] STEEL	LODGEWOOD' SEMI-CUSTOM
1	Spade Lift Handles		~	~	~	~	~	~	~	~	~
2	Spade Step Plate		~	~	~	•	1	~	~	~	~
3	Spade Strap Hinge*		~	~	~	•		~	~	~	~
4	Twisted "L" Handles		~	~	~	~		~	~	~	~
5	Twisted "T" Handle								~	~	
6	Escutcheon Plate(s)		~	~	~	•		~	~	~	~
7	Spear Lift Handles		~	~	~	~		~	~	~	~
8	Spear Step Plate		~	~	~	~		~	~	~	~
9	Spear Strap Hinge*		~	~	~	~		~	~	~	~
10	Colonial Lift Handles		~	~	~	•		~	~	~	~
11	Colonial Step Plate		~	~	~	1		~	~	~	~
12	Colonial Strap Hinge*		~	~	~	•		~	~	~	~
13	Decorative Handles with Keyhole		~	~	~	1		~			~
14	Ring Door Knocker		~	~	~	~		~			V
15	Aluminum Grip Handles	~					~				
16	Color-matched Lift Handles									~	

* Door may not open properly if installed near the top depending on opening dimensions and lift type.

DECORATIVE HARDWARE

Attractive black powder coated handles and step plates are provided standard on select Holmes garage doors to further enhance the design of the door. Optional decorative hardware, including handles, operable L-keylocks and strap hinges, is also available.



STANDARD STEEL

Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.

THREE-LAYER CONSTRUCTION



Polyurethane or Bonded Polystyrene Insulation


CONSTRUCTION AND FINISH

- Elegant raised and long panel designs for improved curb appeal.
- Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.
- Prefinished, stucco textured flush interior for beauty inside and out.
- 7200 and 7203 have 2" thick Intellicore[®] polyurethane insulation (18.4 R-value).
- 7130 and 7133 have 1-3/8" thick Intellicore[®] polyurethane insulation (12.9 R-value).
- 6200 and 6203 have 2" thick bonded polystyrene insulation (9.0 R-value).
- 6130 and 6133 have 1-3/8" thick bonded polystyrene insulation (6.5 R-value).
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore[®] insulation models.

DOOR DESIGNS







Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

WARRANTIES




COLOR OPTIONS



* Not available on all models; contact customer service for availability. Due to the printing process, colors may vary.

WINDOWS







*Not available on Models 6130 and 6133. Additional window designs available; see pages 40-41.

STANDARD STEEL VER & BRONZE

Residential garage doors are available with or without insulation.



CONSTRUCTION AND FINISH

- Two-layer construction for energy efficiency and enhanced durability.
- · Thick vinyl-backed polystyrene insulation for added energy efficiency.
- 5500 and 5503 have 1-5/16" thick polystyrene insulation (6.3 R-value).



CONSTRUCTION AND FINISH

- One-layer steel construction is durable and economical.
- Traditional raised and long panel designs for improved curb appeal.
- Woodgrain textured short and long raised panel designs complement traditional home styles.

DOOR STYLES



Traditional Long Panel - Models 5503, 4203



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



Due to the printing process, colors may vary.

WINDOWS





Additional window designs available; see pages 40-41.


WARRANTIES




ALL MODELS

RESIDENTIAL TRACK OPTIONS

Determine the right track option for your new residential garage door from the options below.






Headroom = Top of door to nearest obstruction (truss, ceiling or light fixture). Up to 3" of additional headroom may be required for a trolley door opener.

NOTE: Dimensions listed cover the most common applications on doors up to 8'0" high using 2" track.

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites. Available on Contemporary Steel, Standard Steel GOLD, SILVER and BRONZE.



Designer Insert Series Windows are available on Contemporary Steel Models 7201, 7131, 6201, 6131 and all Standard Steel Gold, Silver and Bronze models.

ARCHITECTURAL SERIES

For a larger viewing area, choose our Architectural Series options.

Clear Short	REC12	SQ22
Clear Long	REC14	SQ24
ARCHI	Vertical Grille on ARCH1	Grille on ARCH1
ARCH2	Vertical Grille on ARCH2	Grille on ARCH2
Trenton [®] Short	Trenton [®] Long	Wrought Iron Short*
Kristin [®] Short	Kristin [®] Long	Wrought Iron Long*
Clayton [™] Short	Clayton [™] Long	Wrought Iron Arch*

Clayton[™] Short

*Available non-insulated only.

Architectural Series Windows are not available on Contemporary Steel Model 6131, Standard Steel Gold Models 6130 and 6133, Standard Steel Silver or Bronze models. Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

CONTEMPORARY SLIM

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in powder coated silver or black.





Available only on Contemporary Steel Models 7208, 7209, 6208 and 6209.

378SV – Silver

378BK – Black	_	_	_	_	-

Glass is available in different designs depending on door model. Options include acrylic, clear, frosted, seeded, obscure and rain, as well as insulated versions for a more energy efficient door.



RESIDENTIAL GLASS OPTIONS

Glass is available in different designs depending on door model. Options include acrylic, clear, frosted, seeded, obscure, narrow reed and rain, as well as insulated versions for a more energy efficient door.



GLENMOOR[™], SETTLERS®, ARTISTRY® STEEL AND WESTPORT[™] STEEL









Seeded

Obscure

Rain

STANDARD STEEL GOLD, SILVER AND BRONZE



Frosted

Frosted

Seeded



Obscure



CONTEMPORARY STEEL





Tempered Frosted

Tempered Obscure



Tempered Narrow Reed



Tempered Rain

LODGEWOOD® SEMI-CUSTOM



Frosted



Rain

Seeded



Frosted Gluechip





Delta Frost




Narrow Reed

Seeded not available on Glenmoor™ Modern, Standard Steel Silver and Standard Steel Bronze. Additional charges for optional glass apply.

COMMERCIAL STEEL

Three-layer construction provides a durable, quiet and energy-efficient door for your commercial applications.

THREE-LAYER CONSTRUCTION





DOOR STYLES



Holmes 240U, 240, 210U, 210 Shallow Ribbed Panel

CONSTRUCTION AND FINISH

- 2" or 1-3/8" thick Intellicore[®] polyurethane insulation (18.4, 12.9 R-values, respectively).
- 2" or 1-3/8" thick bonded polystyrene insulation (9.0, 6.5 R-values, respectively).
- Insulation is pressure bonded between two layers of steel.
- Superior strength and durability.
- Maximum energy efficiency and quietest operation.
- Ribbed panel style and nine colors available.
- · Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.

COLOR OPTIONS



Due to the printing process, colors may vary.

Colors not available on all models; contact customer service for availability.

WINDOWS



COMMERCIAL STEEL SILVER & BRONZE

Commercial ribbed doors are available with or without insulation.



CONSTRUCTION AND FINISH

- 1-3/8" thick polystyrene insulation (6.6 R-value) is behind an exterior steel skin.
- · Added energy efficiency.
- · Commercial-duty rollers.
- · Heavy-duty commercial track, hardware and springs.



CONSTRUCTION AND FINISH

- · Durable and economical steel construction.
- · Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.




DOOR STYLES



Holmes 224, 225 Deep Ribbed Panel

COLOR OPTIONS



Colors not available on all models; contact customer service for availability.

WINDOWS




Full-Vision Section

COMMERCIAL TRACK OPTIONS


Determine the right track option for your new commercial garage door from the options below.

STANDARD RADIUS



3" TRACK Headroom = 16-1/2" Required Sideroom = 5-1/2" Required Backroom = Door Height Plus 25" Required


LOW HEADROOM FRONT MOUNT




Plus 25" Required

(1,200 lb. limit on door weight)

LOW HEADROOM REAR MOUNT




VERTICAL LIFT




Sideroom = 5-1/2" Required Backroom = 23" Required

HIGH LIFT



ROOF PITCH



Headroom = Top of door to nearest obstruction (truss).


Dimensions listed cover the most common applications using standard hardware. NOTE: Up to 4" of additional headroom may be required for a trolley door opener.

ROLL-UP GARAGE DOORS



GOLD

- Trucking Terminals
- Post Frame Buildings
- Light Industrial Warehousing
- Job Site Trailers
- Farm Machinery Storage Sheds
- + Available in sizes 2'6" wide \times 3'0" high through 12' wide \times 14' high
- Door size should match rough opening*
- *Door will arrive 7" 8" wider than opening



BRONZE

- Yard Barns
- Mini-Warehouses
- Storage Sheds
- Boat Houses
- Other light-duty applications
- Available in sizes 2'6" wide × 3'0" high through 12' wide × 14' high
 - Door size should match rough opening*

*Door will arrive 2" – 4" wider than opening

SILICONIZED POLYESTER PAINT*

32 finishes complement any building

Bronze	Cedar Red	Continental Brown	Desert Sand	Desert Tan
Llinh Class M/bits		Linht Ctore	Condetone	Catia M/hita
High Gloss White	LG (Forest) Green	Light Stone	Sandstone	Satin White
	ST TAL			
	A REAL PROPERTY.			
Silhouette Gray	AG Galvalume	Colony Green	Charcoal Gray	Evergreen
Fern Green	Polar Blue	Royal Blue	Smart Blue	Sunset Orange
Teal	Ultra Marine Blue	Patriot Red	Sierra Sunset	Valentine Red
EXR Wasabi	Apple Lime Cocktail	Dark Teal	Maroon	Safety Yellow
		*Due to the printing process,		
LS Yellow	Coal Black	colors may vary.		
20 10:001				


MEASURING FOR YOUR NEW DOOR

Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

WIDTH:	HEIGHT:
Common garage door width: Common garage door heigh	


Measure headroom as the distance between the top of the door and the ceiling (or first obstruction, e.g., light fixture).

HEADROOM:



VISIT OUR WEBSITE





Visit today to order color samples, guidance on selecting the right door, installation instructions and information on maintaining your new Holmes garage door! Visit us at

www.holmesgaragedoor.com

or call the Holmes Helpline® at 800-557-0488

